

## Claims

1. A method for making it easier to process user specific information at an information processing device (30), which method uses a network browser installed on said information processing device for searching, processing and presenting information, which network browser comprises at least an address field (22) and virtual function keys (23) associated with it, **characterized** in that the address field (22) and virtual function keys (23) are modified so as to be in accordance with the service used at that time.
2. A method according to claim 1, **characterized** in that the modification of the address field (22) and virtual keys (23) is based on data input in the network browser address field.
3. A method according to claim 1, **characterized** in that the information processing device (30) is connected (16) via a communications network to a service provider's server to control the modification of the address field and virtual keys so as to be in accordance with the service used.
4. A method according to claim 3, **characterized** in that the network browser at the information processing device (30) is used to open (16, 162) a service provider's www page to control the modification of the address field and virtual keys so as to be in accordance with the service used.
5. A method according to claim 4, **characterized** in that data input fields on the www page are filled out by entering information in the service specific address field created for the network browser at the information processing device.
6. An address field (22) with associated virtual function keys (23) belonging to a network browser installed at an information processing device (30), **characterized** in that the address field (22) with the virtual function keys (23) is arranged so as to be modified according to the service used at a given moment.
7. A network browser according to claim 6, **characterized** in that the address field (22) and virtual keys (23) are arranged to be modified according to the currently used service on the basis of information entered in the address field of the network browser.
8. A network browser according to claim 7, **characterized** in that said service used is one of the following: telephone service, calculator, payment, information

search, game, machine translation, message sending, or processing of map information.

9. A network browser according to claim 8, **characterized** in that the virtual keys (23) of the network browser are modified so as to make the use of the service  
5 easier.

10. Software means for realizing a network browser according to claims 6 to 9 at an information processing device.

11. Software means according to claim 10 for realizing a network browser, stored on a data storage medium.

10 12. A www page at a server connected to a communications network, **characterized** in that it comprises, in connection with the www page, software means for modifying a network browser address field (22) and associated virtual function keys (23), which network browser is intended for using the www page, so that they are in accordance with the service provided on the www page.

15 13. A www page according to claim 12, **characterized** in that the address field (22) and virtual function keys (23) associated with the www page are arranged to be modified so as to be in accordance with the service on the basis of information entered in the address field of the www page displayed on the network browser at the terminal.

20 14. A communications network terminal, comprising means for receiving (31, 32) data, means for transmitting (31, 33) data, control unit (34) for the terminal, memory (35), and a user interface (36) for the terminal, **characterized** in that the control unit (34) for the terminal comprises software means for modifying the user interface (36) for the terminal so as to be in accordance with the service used.

25 15. A terminal according to claim 14, **characterized** in that the address field (22) and virtual keys (23) of a network browser belonging to the user interface (36) are arranged so as to be modified in accordance with the service on the basis of information entered in the address field of the network browser.

30 16. A terminal according to claim 15, **characterized** in that it is a terminal of a cellular network.